




DISCLAIMER



PLEASE READ BEFORE USING THIS GUIDE

The information provided in this guide is for educational and informational purposes only and is not intended as medical advice.

Your safety is your responsibility.

IMPORTANT INFORMATION



Your Safety Comes First

Always prioritize hygiene, use sterile equipment, follow proper protocols, and listen to your body. If you experience any adverse effects, discontinue use and seek professional medical attention.

- ♥ This guide is not a substitute for professional medical advice, diagnosis, or treatment.
- ♥ Always do your own research and consult with a qualified healthcare professional before starting any new treatment, especially if you have a medical condition, are pregnant, nursing, or taking medication.
- ♥ The techniques and recommendations in this guide are based on personal experience and research. Results can vary from person to person.
- ♥ You are **solely responsible** for your own decisions, actions, and results.
- ♥ The author and creator of this guide are not licensed medical professionals. All content is shared in good faith.
- ♥ This guide does not provide medical, legal, or professional advice of any kind. **Use at your own risk.**



DO YOUR OWN RESEARCH

Stay informed, ask questions, and educate yourself before trying any treatment.



HYGIENE IS EVERYTHING

Always use sterile equipment and clean products to reduce the risk of infection.



KNOW YOUR CONTRAINDICATIONS

Do not use if you have any conditions that could be worsened by the treatment.



START SLOW AND LISTEN

Everyone's skin is different. Start with less, observe how your skin responds, and adjust.



YOU ARE IN CONTROL

You know your body best. Always make empowered, informed decisions.

♥ LEGAL DISCLAIMER ♥

By using this guide, you acknowledge and agree that the author, creator, and any affiliated parties are not liable for any injury, harm, loss, or adverse reaction that may occur as a result of using the information provided. You agree to take full responsibility for your own health, safety, and results.



This guide is here to empower you with knowledge,
but you are the expert of your own journey.



Thank you ♥

for being part of this journey and for prioritizing your confidence and well-being.

– Beauty Babes Only –



BEVY BEAUTY

LIPOLYTIC PRODUCTS

Information Guide

SMALL
CHANGES
CREATE
BIG RESULTS.



EDUCATE ♥ REFINE ♥ CONTOUR ♥ FEEL CONFIDENT

1 WHAT ARE LIPOLYTIC PRODUCTS?

Lipolytic products are injectable or topical compounds designed to help break down and remove stubborn fat cells in targeted areas. They work by disrupting the fat cell membrane, causing the cell contents (triglycerides) to be released and naturally metabolized and eliminated by the body through the lymphatic system.

They are commonly used for small, localized areas of fat that are resistant to diet and exercise, helping to refine and enhance natural contours.

Target stubborn fat. Enhance your natural you.



- ♥ Non-surgical
- ♥ Targets stubborn fat
- ♥ Helps contour treated areas
- ♥ Multiple formulation options
- ♥ Best for small, localized areas



2 HOW DO THEY WORK?

Lipolytic ingredients disrupt the fat cell membrane (adipocyte), causing it to become permeable and break down. This releases the stored triglycerides (fat), which are then processed and eliminated by the body's natural metabolic and lymphatic systems over time.

"They don't remove fat instantly — they help your body do it naturally."

DISRUPTS
FAT CELL MEMBRANE



Fat cell is targeted
by lipolytic ingredients

RELEASES
TRIGLYCERIDES
(FAT CONTENTS)



Cell contents are
released (triglycerides)

NATURALLY
METABOLIZED
& ELIMINATED



Processed through
the lymphatic system
and eliminated naturally

3 COMMON INGREDIENTS

Lipolytic products can contain one ingredient or a combination of several. Formulations vary by brand, strength, and region.

- ♥ Deoxycholic Acid (e.g., Kybella®)
- ♥ Phosphatidylcholine (PPC)
- ♥ Sodium Deoxycholate (DOC)
- ♥ L-Carnitine
- ♥ Artichoke Extract (Cynara Scolymus)
- ♥ Lemon Bottle Extracts
- ♥ Riboflavin (Vitamin B2)
- ♥ Aminophylline
- ♥ Caffeine
- ♥ Plant Extract Blends
- ♥ Peptides (in some formulations)

Good to Know

Each product has a unique formulation and concentration. Always research the specific product you are using and follow proper protocols.



@bevydiy



www.bevybeauty.co

PAGE 1 OF 5

♥ KNOWLEDGE CREATES CONFIDENCE

Not medical advice — educational purposes only.



BEVY BEAUTY

LIPOLYTIC INGREDIENTS

HOW THEY WORK

DIFFERENT INGREDIENTS. A COMMON GOAL.

Target fat. Enhance your natural contours.

EDUCATE
PLAN
TREAT SMART
SEE RESULTS



DEOXYCHOLIC ACID (e.g., Kybella®)



A bile acid that disrupts fat cell membranes, causing permanent fat cell destruction.

- Directly lyses adipocytes
- Most studied lipolytic agent
- Best for small, localized fat
- FDA-approved (Kybella®)

PHOSPHATIDYLCHOLINE (PPC)



A phospholipid that helps break down fat cell membranes and emulsify fat.

- Disrupts adipocyte membrane
- Emulsifies released fat
- Often combined with DOC
- Common in many lipolytic formulations


SODIUM DEOXYCHOLATE (DOC)



A salt form of deoxycholic acid that breaks down fat cell membranes.

- Similar action to deoxycholic acid
- Helps solubilize and remove fat contents
- Often combined with PPC
- Powerful fat-dissolving agent

L-CARNITINE



Helps transport fatty acids into mitochondria for energy production (fat metabolism).

- Enhances natural fat metabolism
- Helps the body burn released fat
- Often used in combination products
- Supports cellular energy

ARTICHOKE EXTRACT (Cynara Scolymus)



Contains cynarin, which may help stimulate fat metabolism and support liver function.

- Promotes lipid metabolism
- Supports detoxification
- May help prevent fat re-accumulation
- Often included in mesotherapy blends

LEMON BOTTLE EXTRACTS



Plant-based extracts (e.g., lemon, pineapple) that support fat degradation and lymphatic drainage.

- Contains natural enzymes and flavonoids
- May enhance fat breakdown
- Supports lymphatic circulation
- Common in natural/ botanical lipolytic blends

RIBOFLAVIN (VITAMIN B2)



Supports cellular metabolism and helps the body process fats, carbohydrates, and proteins.

- Enhances fat metabolism
- Acts as a coenzyme in energy production
- May improve efficacy when combined with other ingredients
- Often included for its metabolic support

AMINOPHYLLINE



A methylxanthine that can help stimulate fat breakdown and improve microcirculation.

- Promotes lipolysis
- May improve blood flow
- Helps reduce fluid retention
- Often used in mesotherapy protocols

CAFFEINE



Stimulates lipolysis and helps reduce fat accumulation.

- Increases cyclic AMP (cAMP)
- Enhances fat breakdown
- May improve lymphatic drainage
- Often used for its firming effects


PLANT EXTRACT BLENDS



Various botanical extracts (e.g., green tea, centella, ginkgo) that support fat metabolism and lymphatic drainage.

- Antioxidant and anti-inflammatory
- May enhance circulation
- Supports detoxification
- Helps improve skin firmness

PEPTIDES (in some formulations)



Certain peptides may support fat metabolism, improve skin firmness, and reduce inflammation.

- May enhance lipolysis
- Support collagen and elastin
- Help with skin tightening after fat reduction
- Examples: AOD-9604, etc. (depending on product)

COMBINATION FORMULAS



Many lipolytic products combine multiple ingredients to target fat from different angles.

- Synergistic fat breakdown
- Enhanced metabolism
- Improved lymphatic drainage
- Better contouring results

Science Supports the Contour

KNOWLEDGE CREATES CONFIDENCE



@bevydiy



www.bevybeauty.co

PAGE 2 OF 5

Not medical advice – educational purposes only.



BEVY BEAUTY

LIPOLYTIC PRODUCTS

WHAT THE STUDIES SHOW

A look at the clinical evidence.

SCIENCE
SUPPORTS
CONFIDENCE.



REAL RESEARCH ♥ INFORMED CHOICES ♥ BETTER RESULTS

1

REFINE-1 TRIAL (ATX-101)

Jones et al. 2016

Randomized, Double-Blind, Placebo-Controlled
Phase 3 Trial



506 participants

- At 12 weeks after the last treatment, ≥ 1 -grade composite response was **70.0%** with ATX-101 (deoxycholic acid) vs. **18.6%** with placebo.
- MRI was used as an objective measure of submental volume.
- Demonstrated significant improvement in submental fat compared to placebo.

2

REFINE-2 TRIAL (ATX-101)

Humphrey et al. 2016

Randomized, Double-Blind, Placebo-Controlled
Phase 3 Trial



516 participants
(258 per group)

- ≥ 1 -grade composite improvement: **66.5%** with ATX-101 vs. **22.2%** with placebo.
- ≥ 2 -grade improvement: **18.6%** with ATX-101 vs. **3.0%** with placebo.
- Most adverse events were localized to the injection site.
- Follow-up was limited to 44 weeks.

3

SYSTEMATIC REVIEW & META-ANALYSIS

Cunha et al. 2021

Analysis of 5 Randomized Controlled Trials
(1,838 participants)



- Injectable deoxycholic acid produced greater improvement than placebo across efficacy measures for submental fat.
- Adverse-event withdrawals were relatively low.
- Local treatment reactions remain relevant.

4

LONG-TERM FOLLOW-UP (REFINE RESPONDERS)

Long-term REFINE Follow-up, 2021



- Evaluated durability of results from REFINE trial responders through Years 1, 2 and 3.
- Reported maintained improvements in submental contour among followed responders.
- Supports long-term durability of ATX-101 (deoxycholic acid) in responders.

5

PPC + DEOXYCHOLATE STUDY

Salti et al. 2008

Double-Blind, Randomized Study



37 women

- Compared phosphatidylcholine (PC) + sodium deoxycholate vs. sodium deoxycholate alone for localized fat.
- Found local-fat reduction on both sides without a statistically significant difference between formulations.
- Short-term local side effects were more pronounced with deoxycholate alone.

6

PC-DC FOR ABDOMINAL FAT

Reeds et al. 2013

Randomized Controlled Study



13 women
(7 completers)

- Evaluated phosphatidylcholine + deoxycholate (PC-DC) in abdominal subcutaneous fat.
- Treated abdominal fat thickness decreased significantly.
- Very small study size.
- Authors noted safety and efficacy uncertainty and the need for larger studies.



EVIDENCE MATTERS

The strongest clinical evidence is for purified deoxycholic acid (ATX-101) for submental fat. Evidence for PPC/DOC mixtures and other lipolytic ingredients is much more limited. Findings for one formulation should not be assumed to apply to every lipolytic product or body area.



STUDY LIMITATIONS

- Formulation, concentration, treatment area, study size, and follow-up periods differ between studies.
- Many botanical and combination lipolytic products lack comparable randomized clinical evidence.
- Results from one product or area should not be generalized to all lipolytic products or treatment areas.



RESEARCH REFERENCES

- Jones et al. 2016 (REFINE-1)
- Humphrey et al. 2016 (REFINE-2)
- Cunha et al. 2021 (Systematic Review/Meta-analysis)
- Long-term REFINE Follow-up, 2021
- Salti et al. 2008
- Reeds et al. 2013



@bevydiy



www.bevybeauty.co



@bevydiy

PAGE 3 OF 5



♥ KNOWLEDGE CREATES CONFIDENCE

**Not medical advice — educational purposes only.*



BEVY BEAUTY

LIPOLYTIC TREATMENT AREAS

Target Stubborn Fat. Enhance Your Natural Contours.

SMALL CHANGES ♥ BIGGER CONFIDENCE ♥ ALL OVER YOU ♥

CONTOUR
REFINE
FEEL GOOD



FACE

- Double chin (submental)
- Jawline
- Jowls
- Lower cheeks
- Buccal fat (cheeks)
- Nasolabial area (small, superficial fat)
- Pre-jowl sulcus

Define. Lift. Contour.



NECK

- Submental area (under chin)
- Anterior neck
- Lateral neck
- "Turkey neck"
- Neck bands (platysmal fat)

A slimmer, more refined profile.



ARMS

- Upper arms (triceps area)
- Bra fat (posterior axillary fat)
- Armpit area (axillary fat)

Tone. Tighten. Refine.



TORSO

- Upper abdomen
- Lower abdomen
- Flanks (love handles)
- Bra fat
- Back fat (upper & lower back)
- Waistline contouring
- Male chest (gynecomastia – consult a provider)

Sculpt your shape.



THIGHS

- Inner thighs
- Outer thighs
- Anterior thighs
- Posterior thighs (upper)
- Knee area (above knee fat)

Smoother. Leaner. Stronger.



HIPS & BUTTOCKS

- Hip dips (lateral hips)
- Outer hips
- Under butt (bananas)
- Upper outer thighs (saddle bags)

Enhance your natural curves.



KNEES

- Medial knee fat (inner knee)
- Lateral knee fat (outer knee)
- Above knee fat


Refine every angle.



LOWER LEGS

- Calf contouring (selected cases)
- Ankle area (minor fat deposits)

Balance. Contour. Define.



OTHER AREAS

- Upper back
- Mid back
- Lower back
- Bra line fat
- Male chest
- Other small, localized areas (as appropriate)

Customizable for you.

♥ IMPORTANT NOTES

- Lipolytic treatments are best for small, localized areas of stubborn fat that are resistant to diet and exercise.
- Not a weight loss solution.
- Treatment suitability depends on the product, individual assessment, and proper technique.
- Results vary by individual.

*Same
Science.
A More
Confident
You.*

♥ COMMON GOALS

- ✓ Reduce stubborn fat
- ✓ Enhance natural contours
- ✓ Improve definition
- ✓ Create a more balanced appearance
- ✓ Boost confidence



@bevydiy



www.bevybeauty.co

PAGE 4 OF 5

♥ KNOWLEDGE CREATES CONFIDENCE ♥

Not medical advice — educational purposes only.

SMALL
CHANGES
CREATE
BIG RESULTS.



LIPOLYTICS AFTERCARE

CARE TODAY ♥ BETTER RESULTS TOMORROW

CONFIDENCE
LOOKS GOOD
ON YOU.



WHAT TO DO

After Your Treatment ♥



STAY HYDRATED

Drink plenty of water to help your body flush out the disrupted fat cells.



USE COLD COMPRESSES

Apply for 10–15 minutes at a time during the first 24–48 hours to reduce swelling and discomfort.



KEEP THE AREA CLEAN

Gently cleanse the area and avoid excessive touching, massaging, or rubbing.



LIGHT ACTIVITY

Normal daily activity is fine, but avoid intense workouts for 48 hours.



SUPPORT YOUR RESULTS

Maintain a healthy diet, stay hydrated, and get regular exercise.

WHAT TO EXPECT

It's a Process ♥



SWELLING

Mild to moderate swelling is normal and usually peaks at 24–72 hours, then gradually improves.



BRUISING

Some bruising, redness, or tenderness may occur and typically resolves within a few days to a couple of weeks.



FIRMNESS

The treated area may feel firm, tender, or slightly lumpy as your body processes the fat cells. This is normal.



GRADUAL RESULTS

You'll start to notice changes in 2–4 weeks, with full results typically in 6–12 weeks.



MULTIPLE SESSIONS MAY BE NEEDED

Most areas require a series of treatments for optimal results.



SAME CARE. A MORE CONFIDENT YOU.



SMALL
CHANGES
CREATE
BIG RESULTS.



LIPOLYTICS

(FAT DISSOLVERS)

TREATMENT OVERVIEW

CONTOUR
CONFIDENCE
FROM
EVERY ANGLE.



AREA	INJECTION DEPTH (mm)	SPACING	PER POINT (mL (units))	TOTAL DOSAGE (mL)
Double Chin	6 – 8	1 cm	0.2 – 0.5 (20 – 50 units)	2 – 8 total
Jawline	4 – 8	1 cm	0.1 – 0.5 (10 – 50 units)	2 – 4 per side
Arms	6 – 13	1 – 2 cm	0.1 – 0.5 (10 – 50 units)	10 – 20 per arm
Breast	6 – 13	1 – 2 cm	0.1 – 0.5 (10 – 50 units)	5 – 10 per side
Abdomen	8 – 13	1 – 2 cm	0.2 – 0.5 (20 – 50 units)	20 – 40 total
Hips	8 – 13	1 – 2 cm	0.2 – 0.5 (20 – 50 units)	20 – 40 per side
Thighs	8 – 13	1 – 2 cm	0.1 – 0.5 (10 – 50 units)	10 – 20 per thigh
Calf	6 – 13	1 – 2 cm	0.1 – 0.5 (10 – 50 units)	10 – 20 per side

Notes:

- ♥ Typical total treatment is 3–6 sessions each session spaced 3–4 weeks apart.
- ♥ Results are not instant and will take a few weeks to appear.
- ♥ Bruising and swelling may appear and last up to 10 days.
- ♥ Map in an even pattern to ensure results are even.
- ♥ 30–32g needle, 4–13mm length.
- ♥ Not medical advice.

@bevydiy

| www.bevybeauty.co



KNOWLEDGE CREATES CONFIDENCE



BEVY BEAUTY

CHIN

TREATMENT OVERVIEW

CONTOUR ♥ DEFINE ♥ REFINE

SMALL
CHANGES
CREATE
BIG RESULTS.




CONFIDENCE
LOOKS GOOD
ON YOU.



Beginner

6-8mm Depth
90 degree angle

20-50 units
per point
(start with less
and work up with each
session)



@bevydiy



www.bevybeauty.co

PAGE 5 OF 5

♥ KNOWLEDGE CREATES CONFIDENCE ♥

Not medical advice — educational purposes only.

SMALL
CHANGES
CREATE
BIG RESULTS.



BEVY BEAUTY

CHIN

TREATMENT OVERVIEW

CONTOUR ♥ DEFINE ♥ REFINE

CONFIDENCE
LOOKS GOOD
ON YOU.



Advanced

**6-8mm Depth
90 degree angle**

**20-50 units
per point
(start with less
and work up with each
session)**



@bevydiy



www.bevybeauty.co

PAGE 5 OF 5



♥ KNOWLEDGE CREATES CONFIDENCE ♥

Not medical advice — educational purposes only.

SMALL
CHANGES
CREATE
BIG RESULTS.



BELLY

(FAT DISSOLVERS)

INJECTION OVERVIEW FOR LIPOLYTICS

CONTOUR
CONFIDENCE
FROM
EVERY ANGLE.



FRONT VIEW



FRONT VIEW

Space injections 1–2 cm apart in a grid pattern, avoiding the navel (keep 2 cm away).

SIDE VIEW



SIDE VIEW

Treat the sides/love handles using the same 1–2 cm spacing.


BACK VIEW



BACK VIEW

If treating lower back, use the same spacing and technique.

INJECTION OVERVIEW



TREATMENT PARAMETERS

Injection Depth	6 – 13 mm (subcutaneous)
Spacing	1 – 2 cm
Volume per Point	0.2 – 0.5 mL (20 – 50 units)
Total Dosage (Abdomen)	20 – 40 mL depending on area/size

NOTES

- ♥ Use a grid pattern and keep at least 2 cm away from the navel.
- ♥ Typical total treatment is 3–6 sessions each session spaced 3–4 weeks apart.
- ♥ Results are not instant and will take a few weeks to appear.
- ♥ Bruising and swelling may appear and last up to 10 days.
- ♥ 30–32g needle, 4–13mm length.

AREAS YOU CAN TREAT

- ✓ Upper abdomen
- ✓ Lower abdomen
- ✓ Love handles (flanks)
- ✓ Waistline
- ✓ Lower back
- ✓ Can be combined with other areas (thighs, arms, etc.)

@bevydiy

| www.bevybeauty.co

♥ KNOWLEDGE CREATES CONFIDENCE ♥
*Not medical advice.

SMALL
CHANGES
CREATE
BIG RESULTS.



THIGHS

(FAT DISSOLVERS)

INJECTION OVERVIEW

FOR LIPOLYTICS

CONTOUR
CONFIDENCE
FROM
EVERY ANGLE.



FRONT VIEW



Space injections 1–2 cm apart in a grid pattern, avoiding the knee and major veins.

INNER THIGH VIEW




Use a tighter grid pattern on the inner thighs (1–2 cm spacing), avoiding the groin area and major veins.

SIDE VIEW




Treat outer thighs using the same 1–2 cm spacing. Adjust pattern to the area being treated.

BACK VIEW



Space injections 1–2 cm apart in a grid pattern, avoiding the gluteal fold and knee area.

INJECTION OVERVIEW



TREATMENT PARAMETERS

AREA	INJECTION DEPTH (mm)	SPACING	PER POINT (mL (units))	TOTAL DOSAGE (mL)
Thighs (all areas)	8 – 13	1 – 2 cm	0.1 – 0.5 (10 – 50 units)	10 – 20 per thigh (depending on area/size)

NOTES

- ♥ Use a grid pattern and keep at least 2 cm away from joints, knees and groin.
- ♥ Inner thighs may require a tighter grid (1–2 cm spacing).
- ♥ Typical total treatment is 3–6 sessions each session spaced 3–4 weeks apart.
- ♥ Results are not instant and will take a few weeks to appear.
- ♥ Bruising and swelling may appear and last up to 10 days.
- ♥ 30–32g needle, 4–13mm length.

AREAS YOU CAN TREAT

- ✓ Front thighs
- ✓ Inner thighs
- ✓ Outer (side) thighs
- ✓ Back thighs
- ✓ Love handles (optional)

@bevydiy | www.bevybeauty.co

♥ KNOWLEDGE CREATES CONFIDENCE ♥
*Not medical advice.

SMALL
CHANGES
CREATE
BIG RESULTS.



ARMS

(FAT DISSOLVERS)

INJECTION OVERVIEW


FOR LIPOLYTICS

UPPER ARMS ONLY

CONTOUR
CONFIDENCE
FROM
EVERY ANGLE.



FRONT VIEW




Space injections 1–2 cm apart in a grid pattern, avoiding major veins and nerves.

INNER ARM VIEW




Use a tighter grid pattern on the inner arms (1–2 cm spacing), avoiding major veins and nerves.

OUTER ARM VIEW




Space injections 1–2 cm apart in a grid pattern. Adjust pattern to the area being treated.

BACK VIEW



Space injections 1–2 cm apart in a grid pattern, avoiding the tricep tendon and major structures.

INJECTION OVERVIEW



TREATMENT PARAMETERS

AREA	INJECTION DEPTH (mm)	SPACING	PER POINT (mL (units))	TOTAL DOSAGE (mL)
Upper Arms (all areas)	6 – 13	1 – 2 cm	0.1 – 0.5 (10 – 50 units)	10 – 20 per arm (depending on area/size)

NOTES

- ♥ Use a grid pattern and keep at least 2 cm away from joints, elbows and armpits.
- ♥ Include front, inner, outer and back upper arm areas for even results.
- ♥ Typical total treatment is 3–6 sessions each session spaced 3–4 weeks apart.
- ♥ Results are not instant and will take a few weeks to appear.
- ♥ Bruising and swelling may appear and last up to 10 days.
- ♥ 30–32g needle, 4–13mm length.

IMPORTANT

- ♥ Avoid injecting into muscles, veins, nerves or tendons.
- ♥ Do not treat areas with active infection, rash or injury.
- ♥ Adjust dosing based on area size and product used.
- ♥ Can be combined with other treatment areas (abdomen, thighs, etc.).
- ♥ Results vary by individual.
- ♥ Always map an even pattern for best results.

@bevydiy | www.bevybeauty.co

♥ KNOWLEDGE CREATES CONFIDENCE ♥
*Not medical advice.

SMALL
CHANGES
CREATE
BIG RESULTS.



MY FAVORITE FAT DISSOLVERS

TRIED ♥ LOVED ♥ RECOMMENDED

CONFIDENCE
LOOKS GOOD
ON YOU.




FACE ♥



celmade.co

BODY ♥



meamoshop.com

WHERE TO BUY ♥

acecosm.com

code-BEVY10

meamoshop.com

code-BEVY

celmade.co

code-BEVY15



VENDOR PAGE

TRUSTED PARTNERS. QUALITY RESULTS.

VENDOR / BRAND	PRODUCTS OFFERED	WEBSITE	DISCOUNT CODE / NOTES
Acecosm	tox, boosters, filler, fat dissolvers	acecosm.com	BEVY10
Meamo Shop	tox, boosters, filler, fat dissolvers	meamoshop.com	BEVY
Celmade	tox, boosters, filler, fat dissolvers	celmade.co	BEVY15
Get Glowing Skincare	peels, boosters, filler, skincare	getglowingskincare.com	BEVY15
Dr Pen Online	dr pens & cartridges	drpenonline.com	BEVY
Ion Peptides	peptides	ionpeptide.com	BEVY15
Peptira	peptides	peptira.com	BEVY
Platinum Skincare	chemical peels	platinumskincare.com	SAVE10NOW
DIY Skincare Lab	boosters, filler, skincare	diyskincarelab.com	BEVY
Glamcosm	tox, boosters, fillers	glamcosm.com	BEVY
Southern Aminos	peptides	southernaminos.com	BEVY
SKIN BY RENDER	peptides skincare	skinbyrender.com	BEVY

★ *Thank you* ★
FOR SUPPORTING THESE AMAZING BRANDS
THAT HELP US BRING YOU THE BEST RESULTS.

—❤—
SUPPORT SMALL. SHOP SMART. GROW TOGETHER.

SCAN HERE

to access all
vendor links!



@bevydiy



www.bevybeauty.co