LIQUID LIDOCAINE
Cheat Sheet

NUMB ♥ COMFORT ♥ SAFETY ♥ KNOW THE FACTS

WHAT IS LIQUID LIDOCAINE?

An injectable local anesthetic that temporarily blocks nerve signals and reduces sensation.

The pictured product is labeled 2% (20 mg/mL).



DOSING GUIDELINE

Add 10–20 units of liquid lidocaine per 2 mL of product you are using.

- Use a U-100 insulin syringe for accurate measurement (units).
- This equals approximately 2–4 mg of lidocaine per 2 mL of product (0.1–0.2 mL of 2%).
- Adjust based on sensitivity, treatment area, and provider preference.
- Always verify product compatibility.

HOW TO MIX

PRODUCTS ALREADY IN A SYRINGE

1. Pull up lidocaine and use syringe mixing tube to mix for products that come packaged already in a syringe.

PRODUCTS IN A VIAL

1. Pull up liquid lidocaine first.
2. Then pull up the product in the same syringe, leaving an air bubble in the syringe.
3. Rotate the air bubble gently to mix.

LIDOCAINE TOXICITY

Rare but real. Be cautious and use appropriate doses.

EARLY SIGNS:

- Metallic taste
- Ringing ears
- Mouth tingling
- Dizziness
- Confusion

SEVERE SIGNS:

- Seizures
- Irregular heartbeat
- Collapse

Seek emergency care immediately if suspected.

WHERE TO BUY

Acecosm	acecosm.com Code: BEVY10
CELMADE	celmade.co Code: BEVY15
MeamoShop	meamoshop.com Code: BEVY